

---

## UTF-8 installations of T<sub>E</sub>X

Igor Liferenko

### Abstract

In its design T<sub>E</sub>X has the concepts of “internal encoding” and “external encoding”. This fact allows T<sub>E</sub>X to work with any encoding.

We use Unicode as T<sub>E</sub>X’s external encoding. Then we change the necessary parts of T<sub>E</sub>X to use UTF-8 as the input/output encoding.

The resulting implementation passes the `trip` test.

### 1. Initialization

Note: we use the `web2w` [1] implementation of T<sub>E</sub>X, but the ideas described here can be applied to any implementation.

First, we change the data type of characters in text files to `wchar_t` to accommodate Unicode values.

Background: this predefined C type allocates four bytes per character. Character constants of this type are written as `L'...'` and string constants as `L"..."`.

(For brevity, in the diffs following, the original code from `web2w`’s `tex.w` source is preceded with `<` characters, and the new code with `>`. Both are sometimes reformatted for presentation in this article, and for readability we sometimes leave a blank line between the pieces.)

```
< @d text_char unsigned char
> @d text_char wchar_t
```

Use values from basic multilingual plane (BMP) of Unicode.

```
< @d last_text_char 255
> @d last_text_char 65535
```

Then we change the size of the `xord` array [2] to 2<sup>16</sup> bytes.

```
< ASCII_code xord[256];
> ASCII_code xord[65536];
```

Elements in the `xchr` array [2] are overridden using the `mapping.w` file (see section 5).

```
@i mapping.w
```

`TEX_format_default` is in T<sub>E</sub>X’s external encoding.

```
< ASCII_code TEX_format_default
< [1+format_default_length+1]
< =" TeXformats/plain.fmt";
```

```
> wchar_t TEX_format_default
> [1+format_default_length+1]
> =L" TeXformats/plain.fmt";
```

It remains to specify that the C library functions for conversion to and from Unicode work with UTF-8:

```
setlocale(LC_CTYPE, "C.UTF-8");
```

and to add the necessary headers.

```
#include <wchar.h>
#include <locale.h>
```

### 2. Input

For automatic conversion from UTF-8 to Unicode, text files (including the terminal) must be read with the C library function `fgetc` [3].

In the original `tex.w`, the macro `get` is used for reading text files, as well as `tfm` and `format` files.

Text files are read in the functions `a_open_in` and `input_ln`. In `a_open_in` we replace the macro `reset` with its expansion and then in both functions we change `get((*f))` to `(*f).d=fgetc((*f).f)`

### 3. Output

For automatic conversion from Unicode to UTF-8, text files (including the terminal) must be written with the C library function `fwprintf` [3].

In the original `tex.w`, in all cases but one, the macro `write` is used for writing text files. So, we change `fprintf` to `fwprintf` in the definition of `write`. The one case where `write` is used is for writing `dvi` files — there we just use its old expansion.

In addition to redefining the macro `write`, we need to add the ‘L’ prefix to strings which are used in the macros that call the macro `write`. These changes are trivial and there are quite a few of them so we will not list them here. Instead, we show the following cases, where the conversion specifier in the `printf`-style directives also needs to change:

```
< wterm("%c",xchr[s]);
> wterm(L"%lc",xchr[s]);
```

```
< wlog("%c",xchr[s]);
> wlog(L"%lc",xchr[s]);
```

```
< write(write_file[selector],"%c",xchr[s]);
> write(write_file[selector],L"%lc",xchr[s]);
```

Also, change the condition, which is used while generating the first 256 strings in the string pool, to make the characters from `mapping.w` printable, in addition to 95 standard ASCII characters.

#### 4. The file name buffer

The name of the file to be opened, which is stored in the *name\_of\_file* buffer, must be encoded in UTF-8. Therefore, each character passed to *append\_to\_name*, before being added to *name\_of\_file*, must be converted to UTF-8. This is done using the C library function *wctomb* [3].

In the *append\_to\_name* macro, the variable *k* is used as the index into the *name\_of\_file* buffer where the last byte was stored. Originally, *k* was always increased and provisions were made that characters will not be written beyond the end of buffer (which has the index *file\_name\_size*); *name\_length* was then set to the minimal value between *k* and *file\_name\_size*.

We cannot do the same in our implementation, because we may reach the end of the buffer in the midst of a multibyte character. Instead, if the next multibyte character does not fit into the buffer, we prevent *k* from being increased by negating its value:

```
< @d append_to_name(X) { c=X;incr(k);
<   if (k <= file_name_size)
<     name_of_file[k]=xchr[c]; }

> @d append_to_name(X) { c=X;
>   if (k >= 0) { /* try to append? */
>     char mb[MB_CUR_MAX];
>     int len = wctomb(mb, xchr[c]);
>     if (k+len <= file_name_size)
>       for (int i = 0; i < len; i++)
>         name_of_file[++k] = mb[i];
>     else
>       k = -k; /* freeze k */ } }
```

In *pack\_file\_name* and *pack\_buffered\_name* (the functions that call *append\_to\_name*), we have to “unfreeze” its value if it was “frozen”.

```
if (k < 0) k = -k;
```

In *make\_name\_string*, each (multibyte) character from *name\_of\_file* must be converted from UTF-8 to Unicode, before being converted to T<sub>E</sub>X’s internal encoding. This is done using the C library function *mbtowc* [3].

```
< append_char(xord[name_of_file[k]]);

> { wchar_t wc;
>   k += mbtowc(&wc, name_of_file+k,
>             MB_CUR_MAX) - 1;
>   append_char(xord[wc]); }
```

In the code checking *format\_default\_length* for consistency, we use the C library function *wcstombs* [3] to count the number of bytes in the UTF-8 representation of *TEX\_format\_default*.

```
< if (format_default_length > file_name_size)
>   if (wcstombs(NULL,TEX_format_default+1,0) >
>       file_name_size)
```

In the function *pack\_buffered\_name*, the code that drops excess characters assumes that each character is one byte. But the number of bytes used to represent a character in UTF-8 may be more than one. Therefore, after appending the contents of *buffer[a .. b]* to *name\_of\_file*, we roll back in it character by character until format extension fits to it. We use the C library function *mblen* [3] to determine the start of a multibyte character to be discarded.

```
while (k+wcstombs(NULL,TEX_format_default+
format_default_length-format_ext_length
+1,0) > file_name_size) { k--;
while (mblen(name_of_file+k+1,MB_CUR_MAX)==
-1) k--; }
```

This code in *pack\_buffered\_name* becomes unnecessary and is removed:

```
if (n+b-a+1+format_ext_length >
file_name_size)
b=a+file_name_size-n-1-format_ext_length;
```

#### 5. Usage

The source of the present implementation can be obtained from

<https://github.com/igor-liferenko/tex>

Download it and switch to the directory *tex*.

In this directory create the file *mapping.w* and put there character(s), required for a particular installation of T<sub>E</sub>X, for example:

```
xchr[0xf1] = L'ë';
```

A complete example of *mapping.w* can be found in:

<https://github.com/igor-liferenko/cweb>

Then run the following commands:

```
CWEBINPUTS=... make -C web2w
patch -o tex.w web2w/tex.w utex.patch
ctangle tex
gcc -DINIT -o initex tex.c -lm
gcc -DSTAT -o virtex tex.c -lm
```

#### References

- [1] Ruckert, Martin. WEB to cweb. [hint.userweb.mwn.de/hint/web2w.html](http://hint.userweb.mwn.de/hint/web2w.html)
- [2] Knuth, Donald E. *T<sub>E</sub>X: The Program*, 1986. ISBN 0201134373.
- [3] Single Unix Specification. Introduction to ISO C Amendment 1 (Multibyte Support)

Environment).  
[http://unix.org/version2/whatsnew/  
login\\_mse.html](http://unix.org/version2/whatsnew/login_mse.html)

- ◇ Igor Liferenko  
igor.liferenko (at) gmail dot com